








XX - Position number
YY - Quantity

Partlist, Jøtul F 105

Jøtul AS
Fredrikstad, Norway

Draw.no: Sheet 3 / 3
900182- P00

Date:
20.04.2015

Jøtul F 105					
Jøtul F 105 LL BP (Long Legs), cat. no. 30048969; Jøtul F 105 B BP (Base), cat. no. 30046850; Jøtul F 105 SL BP (Short legs), cat. No. 30045743					
Jøtul F 105 LL WHE (Long Legs), cat. no. 30048970; Jøtul F 105 B WHE (Base), cat. no. 30047345; Jøtul F 105 SL WHE (short legs), cat. No. 30047346					
BP= Sort lakk/Black Paint, UP= Ulakkert/Unpainted, BE= Black Enamel					
Pos. no.	Spareparts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
1	12049053		Bunn deksel BP	Cover Bottom Plate BP	Cast Iron min 4mm thickness
2	12048044		Håndtak dør BP	Handle Door BP	Cast Iron min 4mm thickness
2	12048672		Håndtak dør WHE	Handle Door WHE	Cast Iron min 4mm thickness
3	12049023		Frontplate BP	Front Plate BP	Cast Iron min 4mm thickness
4	12049021		Glassholder m/2 pakn. BP	Glass Holder Incl.2 Gaskets BP	Cast Iron min 4mm thickness
5	12049032	5,91(2pcs),92	Dør med pakninger BP	Door Incl. Gaskets BP	Cast Iron min 4mm thickness
5	12049628	5,91(2pcs),92	Dør med pakninger WHE	Door Incl. Gaskets WHE	Cast Iron min 4mm thickness
6	12049014		Sideplate venstre BP	Side Plate Left BP	Cast Iron min 4mm thickness
6	12049526		Sideplate venstre WHE	Side Plate Left WHE	Cast Iron min 4mm thickness
7	12049025		Front bak venstre BP	Front Rear Left BP	Cast Iron min 4mm thickness
8	12049012		Røystuss UP	Smoke Outlet UP	Cast Iron min 4mm thickness
9	12049010		Topplate BP	Top Plate BP	Cast Iron min 4mm thickness
9	12049010		Topplate WHE	Top Plate WHE	Cast Iron min 4mm thickness
10	12049011		Luftkanal topp UP	Air Manifold Top UP	Cast Iron min 4mm thickness
11	12049040		Røykhullsdeksel BP	Cover For Smoke Outlet BP	Cast Iron min 4mm thickness
11	12049532		Røykhullsdeksel WHE	Cover For Smoke Outlet WHE	Cast Iron min 4mm thickness
12	12049019		Bakplate BP	Rear Plate BP	Cast Iron min 4mm thickness
12	12049529		Bakplate WHE	Rear Plate WHE	Cast Iron min 4mm thickness
13	12049016		Sideplate høyre BP	Side Plate Right BP	Cast Iron min 4mm thickness
13	12049527		Sideplate høyre WHE	Side Plate Right WHE	Cast Iron min 4mm thickness
14	12049524		Mellomstykke uteluft Ø80 BP	Spacer Part Inlet Air Ø80 BP	Cast Iron min 4mm thickness
15	12049523		Lufttilkopling uteluft Ø80 BP	Air Connection Inlet Air Ø80 BP	Cast Iron min 4mm thickness
16	12049027		Front bak høyre BP	Front Rear Right BP	Cast Iron min 4mm thickness
17	12049058	85,86,87	Bunnplate med pakn. BP	Bottom Plate W/Gaskets BP	Cast Iron min 4mm thickness
17	12049692	85,86,87	Bunnplate med pakn. WHE	Bottom Plate W/Gaskets WHE	Cast Iron min 4mm thickness
18	12049530		Inner bunn BP	Bottom Inner BP	Cast Iron min 4mm thickness
19	12049028		Fyr rist BP	Fire Grate BP	Cast Iron min 4mm thickness
20	12049035		Brennplate bakre m/pakn BP	Burn Plate Rear incl. Gasket BP	Cast Iron min 4mm thickness
21	12049030		Ledeplate UP	Air Deflector UP	Cast Iron min 4mm thickness
22	12049017		Bakplate indre UP	Rear Plate Inner UP	Cast Iron min 4mm thickness
23	12049042		Ben v framme h Bak LL BP	Leg L Front R Back LL BP	Cast Iron min 4mm thickness
23	12049533		Ben v framme h Bak LL WHE	Leg L Front R Back LL WHE	Cast Iron min 4mm thickness
24	12049044		Ben h framme v Bak LL BP	Ben H framme V Bak LL BP	Cast Iron min 4mm thickness
24	12049534		Ben h framme v Bak LL WHE	Ben H framme V Bak LL WHE	Cast Iron min 4mm thickness
25	12049046		Sokkel frontplate BP	Base Front Plate BP	Cast Iron min 4mm thickness
25	12049535		Sokkel frontplate WHE	Base Front Plate WHE	Cast Iron min 4mm thickness
26	12049051		Sokkel h/v sideplate BP	Base L/R Side Plate BP	Cast Iron min 4mm thickness
26	12049537		Sokkel h/v sideplate WHE	Base L/R Side Plate WHE	Cast Iron min 4mm thickness
27	12049048		Sokkel bakplate BP	Base Rear Plate BP	Cast Iron min 4mm thickness
27	12049536		Sokkel bakplate WHE	Base Rear Plate WHE	Cast Iron min 4mm thickness
28	12048652		Ben v framme h Bak SL BP	Leg L Front R Back SL BP	Cast Iron min 4mm thickness
28	12048667		Ben v framme h Bak SL WHE	Leg L Front R Back SL WHE	Cast Iron min 4mm thickness
29	12048653		Ben h framme v Bak SL BP	Leg R Front L Back SL BP	Cast Iron min 4mm thickness

Jøtul F 105					
Jøtul F 105 LL BP (Long Legs), cat. no. 30048969; Jøtul F 105 B BP (Base), cat. no. 30046850; Jøtul F 105 SL BP (Short legs), cat. No. 30045743					
Jøtul F 105 LL WHE (Long Legs), cat. no. 30048970; Jøtul F 105 B WHE (Base), cat. no. 30047345; Jøtul F 105 SL WHE (short legs), cat. No. 30047346					
BP= Sort lakk/Black Paint, UP= Ulakkert/Unpainted, BE= Black Enamel					
Pos. no.	Spareparts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
29	12048669		Ben h framme v Bak SL WHE	Leg R Front L Back SL WHE	Cast Iron min 4mm thickness
31	10045797		Hendel luft	Hendel air	Steel
32	10047136		Luftventil	Air Valve	Steel
33	10047144		Ventilplate	Valveplate	Steel
34	10023684		Skrue M6X25 lang tapp	Screw M6X25 Long Dog Point Set	Steel
35	10024011		Fjær for klinker	Spring For Latch	Spring Steel
36	10047057		Krok med aksel	Hook inclusive Bar	Steel
37	10047087		Glass Dør	Glas Door	Ceramic glass 4mm thick
38			Fjær dørhengsel Ø2mm	Spring Door Hinge Ø2mm	Spring Steel
39	10049232	38,40,41,42(2pcs),70	Hengsel komplett med fjær	Hinge Complete with Spring	Steel
40			Hengsel brakett	Hinge Bracket	Steel
41			Aksel for hengsel	Axel For Hinge	Steel
42			Hengsel lås dør sintret	Hinge Lock Door Sintred	Sint, C50
43	10048728	3 parts	Vermikulitt deler, hvelv og sidebrennplater	Vermiculite parts, Baffle And Side Burn Plates	Vermiculite 600Kg/m³
44	10047074		Lås brakett	Lock Bracket	Steel
45	10047145		Konveksjonspl bak stål BP	Convection Shield Rear BP	Steel
45	10048774		Konveksjonspl bak stål WHE	Convection Shield Rear WHE	Steel
46	10045798		Askeskuff	Ash Pan	Steel
47	10037359		Hylse Ø10xØ8x15	Sleeve Ø10xØ8x15	Steel
48	10026565		Fjær for ventiler	Spring For Valves	Stainless Spring Steel
49	10026268		Beskyttelseshette M8 6K sort	Protection Cap M8 Hex Black	Polypropylene
50	10047250		Deksel ben/askeleppe	Cover Legs/Ashlip	Steel
51	10038419		Høydejusteringsskrue M8x30	Hight Adjustment Screw M8x30	Steel
61	10023666		Mutter sekskant med flens M6 DIN 6923	Nut Hexagon Cap Flange M6 DIN 6923	St8.8 / ANSI B18.2
62	10023541		Skrue sekskant med flens M6x16 DIN 6921	Screw Hex Cap Flange M6x16 DIN 6921	St8.8 / ANSI B18.2
63	10023517		Mutter sekskant lav M8 DIN 439B	Nut Hexagonal Low M8 DIN 439B	Steel
64	10023578		Skive M10 svart, spesial	Washer M10 Black, Special	Ø10,5xØ25x1,5 Steel
65	10023559		Skive M8 Ø8,4xØ20x1.5 DIN 522	Washer M8 Ø8.4xØ20x1.5 DIN 522	St8.8 / ANSI B18.2
66	10038500		Låsemutter M8 med flens	Lock Nut M8 Collar	Steel
67	10023574		6kt skr m/f M6x40 DIN 6921-8.8	Hex FI Bolt DIN 6921-M6x40- 8.8	Steel
68	10023661		Skrue sekskant med flens M8x16 DIN 6921	Screw Hex Cap Flange M8x16 DIN 6921	St8.8 / ANSI B18.2
69	10023550		Skrue seksk M8x50 Elzn DIN 933	Screw Hexagon M8x50 Elzn DIN 933	St8.8 / ANSI B18.2
70			Festeskrive Ø8x15,3	Attachment Washer Ø8x15,3	Spring Steel
71	10023588		Skrue Sylinderhode Innv sekskant M6x12 DIN 912	Screw Cylinder Head Int Hexagon M6x12 DIN 912	St8.8 / ANSI B18.2
72	10023545		Skrue sekskant med flens M6x12 DIN 6921	Screw Hex Cap Flange M6x12 DIN 6921	St8.8 / ANSI B18.2
73	10023662		Skrue sekskant med flens M8x20 DIN 6921	Screw Hex Cap Flange M8x20 DIN 6921	St8.8 / ANSI B18.2
74	10023780		Skive Ø6,4xØ18x1,6 Elzn DIN9021	Washer Ø6,4xØ18x1,6 Elzn DIN9021	Steel
75	10023556		Skrue senkhode innv sekskant M6x16 DIN 7991	Screw Countersunk Flat Head Int Hex M6x16 DIN 7991	St8.8 / ANSI B18.2
76	10023469		Skrue seksk M8x20 Elzn DIN 933	Screw Hexagon M8x20 Elzn DIN 933	St8.8 / ANSI B18.2
77	10023663		Skrue sekskant med flens M8x25 DIN 6921	Screw Hex Cap Flange M8x25 DIN 6921	St8.8 / ANSI B18.2
78	10023664		Skrue sekskant med flens M8x30 DIN 6921	Screw Hex Cap Flange M8x30 DIN 6921	St8.8 / ANSI B18.2
79	10023579		Skive Ø6xØ12xØx0.5 -8.8 Elzn	Washer Ø6xØ12xØx0.5 -8.8 Elzn	St8.8 ELZN
80	10023580		Skrue, sylh. innv6k lavh. M6x16 DIN 7984	Screw, Cylinderh. int. hex, lowh. M6x16 DIN 7984	St8.8 / ANSI B18.2
85		50027201 (5m)	Pakning mellom bunn og ventilplate	Gasket Between Bottom And Valve Plate	LD 187 graph Ø4,8x1100mm

Spareparts_F_105_900182-P00

2av4

				Jøtul F 105		
Jøtul F 105 LL BP (Long Legs), cat. no. 30048969; Jøtul F 105 B BP (Base), cat. no. 30046850; Jøtul F 105 SL BP (Short legs), cat. No. 30045743						
Jøtul F 105 LL WHE (Long Legs), cat. no. 30048970; Jøtul F 105 B WHE (Base), cat. no. 30047345; Jøtul F 105 SL WHE (short legs), cat. No. 30047346						
BP= Sort lakk/Black Paint, UP= Ulakkert/Unpainted, BE= Black Enamel						
Pos. no.	Spareparts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.	
86		50027205 (5m)	Pakning mellom bunnplate og bunn deksel	Gasket Between Bottom Bottom Plate And Cover Bottom	LD 250-2 graph Ø6,4x920mm	
87		50027205 (5m)	Pakning mellom bunn og bakplate indre	Gasket Between Bottom And Rear Plate Inner	LD 250-2 graph Ø6,4x650mm	
88	10049008		Isolasjonsmatte bak	Insulating Blanket Rear	Fibre	
89		50027205 (5m)	Pakning mellom brennplate bakre og bakplate indre	Gasket Between Burn Plate Rear And Rear Plate Inner	LD 250-2 graph Ø6,4x980mm	
90		50027203 (5m)	Pakning mellom glassholder og front	Gasket Between Glass Holder And Front	LD 375-2 Ø9,5x1350mm	
91		50027204 (5m)	Pakning under glass	Gasket Under Glass	V-125x40mm graph W/A	
92		50027205 (5m)	Pakning til dørglass	Gasket For Door Glass	LD 250-2 graph Ø6,4x1180mm	
93		50027205 (5m)	Pakning til røykstuss deksel	Gasket Smoke Outlet And Cover	LD 250-2 graph Ø6,4x500mm	
94		50027212 (5m)	Pakning for røykrørstilkobling	Gasket For Flue Connection	WT-187x18,4 graph.W/A 660mm	
95		50027203 (5m)	Pakning toppplate	Gasket Top Plate	LD 375-2 Ø9,5x1100mm	
			Soapstone Top, cat. no. 51049066			
100	51049066		Kleber topp kompl BP	Soapstone Top Complete BP		
101	10048733		Kleber topp	Soapstone Top	Soapstone	
102	12049055		Toppdeksel kleber BP	Cover Soapstone BP	Cast Iron min 4mm thickness	
103	12049056		Deksel Ø125 til kleber BP	Cover Ø125 For Soapstone BP	Cast Iron min 4mm thickness	
104	10049465		Skjermplate kleber BP	Heatshield Soapston BP	Steel	
105	10023680		Plateskrue med flens 4,2x13 DIN 6928	Tapping Screw 4,2x13 DIN 6928		
			Ash Lip, cat. no. 51049065 BP			
106	51049065	107,51	Askeleppe LL/SL BP	Ash Lip LL/SL BP		
107	12049054		Askeleppe BP	Ash Lip BP	Cast Iron min 4mm thickness	
			Adaptor Ø125-Ø130mm, cat. no. 51013589			
108			Adaptor Ø125-Ø130mm 0,8mm BP	Adaptor Ø125 auf Ø130mm 0,8mm BP	Steel	
			Outside Air Connection Ø80mm, cat no. 51047509			
109	51047509		Utelufttilkobling Ø80mm	Outside Air Connection Ø80mm		
			Handle For Ashpan, cat.no.51049070			
110	51049070		Håndtak askeskuff	Handle For Ashpan		
			Floor Plate Glass (Germany), cat. no. 50049163			
111	50049163		Gulvplate glass for Tyskland	Floor Plate Glass For Germany	W1022xD955mm, 6mm thick, tempered	
			Floor Plate Steel W/HOLE (Germany), cat. no. 51049134			
112	51049134		Gulvplate stål m/hull for Tyskland BP	Floor Plate Steel W/Hole For Germany BP	W1022xD955mm, 1,25mm thick, Black	
			Floor Plate Glass W/HOLE (Germany), cat. no. 50049132			
113	50049132		Gulvplate glass m/hull for Tyskland	Floor Plate Glass W/Holl For Germany	W1022xD955mm, 6mm thick, tempered	

Spareparts_F_105_900182-P00

3av4

			Jøtul F 105		
	Jøtul F 105 LL BP (Long Legs), cat. no. 30048969; Jøtul F 105 B BP (Base), cat. no. 30046850; Jøtul F 105 SL BP (Short legs), cat. No. 30045743				
	Jøtul F 105 LL WHE (Long Legs), cat. no. 30048970; Jøtul F 105 B WHE (Base), cat. no. 30047345; Jøtul F 105 SL WHE (short legs), cat. No. 30047346				
	BP= Sort lakk/Black Paint, UP= Ulakkert/Unpainted, BE= Black Enamel				
Pos. no.	Spareparts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
			Floor Plate Glass (NO/SE/DK/FI), cat. no. 50049162		
114	50049162		Gulvplate glass for NO/SE/DK/FI	Floor Plate Glass For NO/SE/DK/FI	W722xD855mm, 6mm thick, tempered
			Floor Plate Steel W/Hole (NO/SE/DK/FI), cat. no. 51049133		
115	51049133		Gulvplate stål m/hull for NO/SE/DK/FI	Floor Plate Steel W/Hole For NO/SE/DK/FI	W722xD855mm, 1,25mm thick, Black
			Floor Plate Glass W/Hole (NO/SE/DK/FI), cat. no. 50049131		
116	50049131		Gulvplate glass m/hull for NO/SE/DK/FI	Floor Plate Glass W/Hole For NO/SE/DK/FI	W722xD855mm, 6mm thick, tempered
					Draw. No. 900182-P00